

John Rodriguez

— YACHTS —

WWW.JRYACHTS.COM

John Rodriguez Yachts, Hillcrest, Rockbourne Rd, Fordingbridge, Hants, SP6 1QF, UK

Tel: +44 (0)7505 485 950 | john@jryachts.com



Hallberg Rassy 36 - SOLD

£124,950 GBP tax paid/included

United Kingdom

2002 Boat Show Model

Manufacturer/Model	Hallberg Rassy 36 - SOLD
Name	Saba Free
Designer	Germán Frers
Year	2001
Category	Sail
New or used	Used
Status	Sold
Price	£124,950 GBP
Tax/VAT status	Paid / included
Price comment	2002 Boat Show Model
Lying	Hamble, United Kingdom
Reference	HR36SFGV

Specifications

Length overall	11.31 m
Beam	3.55 m
Draft	1.70 m
Displacement	7,484 kg
Hull	GRP
Keel	Fin keel

Description

Sorry, unfortunately this yacht is now SOLD

Do you have a similar yacht for sale? If so we are always seeking quality cruising yachts for active buyers, especially in the Solent and surrounding areas. For more details please see the [Sell Your Yacht Section](#)

For our full list of other yachts for sale please see the [Yachts for sale section](#)

A nicely presented Hallberg Rassy 36 for sale.

The HR36 is easily handled by two or even singlehanded and is a true go anywhere yacht.

This 2002 Boat show model is well specified with upgraded high quality equipment.

She is capable of sailing with safety in heavy seas and is a cozy and comfortable vessel.

Full details of this well specified example are in the specification section but her highlights include:

Selden in mast furling
Raymarine E70 touch screen plotter (2015)
Raymarine HD radar (2015)
Raymarine AIS (2015)
Refurbished teak deck (2017)
SidePower 6HP bowthruster (2011)
Twin 60Ah Volvo alternators
Honda EU 10i generator
McMurdo G4 GPS EPIRB
Webasto Airtop heating
Cockpit tent, sprayhood, bimini by CJ, boom tent x 2 (2015)
Zodiac Fastroller 340 Active V
Yamaha 8HP 2 stroke o/b

Lying Hamble - viewing is highly recommended.

Available to view strictly by appointment

Office Hours Mon- Fri 09.30 - 17.30

Saturday by prior booked appointment

For more information or to arrange a viewing please contact John Rodriguez Yachts

Tel: +44 (0)7505 485 950
Email: john@jryachts.com

Please note all our yachts are privately owned and actively for sale.
Due to the varying geographic locations of our yachts and travel time and distances involved, please only make travel arrangements to view if you are actively considering purchase.

Specification

BOAT NAME: Saba Free

MAKE & MODEL: Hallberg-Rassy 36 Scandinavia

HULL MATERIAL: GRP

YEAR: December 2001, Launched March 2002.

LENGTH OVER ALL: 11.31m

LENGTH OVER WATERLINE: Floating 9.35m, Sailing max 10.36m

BEAM: 3.55m

DRAFT: 1.7m

KEEL TYPE: Lead 3.4t.

DISPLACEMENT: 7.5t

ENGINE MODEL: Volvo Penta D2-55, Volvo/Hurth hydraulic gearbox (2012)

ENGINE HP: 55HP

ENGINE HOURS: 1,890 (2nd April 2018)

SAIL DRIVE OR SHAFT DRIVE: Shaft

DATE LAST ENGINE SERVICE: February 2018

FUEL TYPE: Diesel

FUEL TANKAGE: 310lr

WATER TANKAGE: 335lr

AGE OF STANDING RIGGING: Original.

DATE LAST ANTIFOULED: February 2018

NUMBER OF SEPARATE SLEEPING CABINS: 2

TOTAL NUMBER OF BERTHS: 7

DOES SALOON CONVERT TO BERTH: Yes

NUMBER OF HEADS: 1

GALLEY AND GALLEY EQUIPMENT:

Uno 2 burner cooker with oven. Isotherm refrigerator.

General Ecology Nature Pure water filter with tap at galley sink

ENTERTAINMENT/CD AND RADIO:

JVC FM/CD/MP3 player 2013

Sony speakers in saloon

Sea & Symphony speakers in cockpit

SAILS:

JKA Sails Pwllheli Asymmetric sail (2015)

In mast furling main x2 by Elvestrom

Foam luff cruising genoa by Elvestrom

Working jib by White

Storm oversail by Doyle

RIGGING AND SPARS:

Masthead sloop.

Discontinuous 1x19. 2 spreaders.

Selden in mast furling, led to cockpit. 10mm & 8mm.

Furlex 300S.

WINCHES AND DECK EQUIPMENT:

Lewmar winches & equipment

Lewmar CST48 sheet winches

CST30 for furling main in cockpit.

GROUND TACKLE AND WINDLASS:

Lofrans Aeron 1000w with capstan & 80m x8mm rode.
CQR 45lb, Fortress 23 & rode
Fortress 16 & rode.

BOW THRUSTER/ ROPE CUTTER:
SidePower 6HP bowthruster (2011)
Ambassador rope cutter

ELECTRONICS/INSTRUMENTS/ AUTOPILOT:
Icom VHF Marine IC-M423 VHF radio (2015)
Icom remote VHF removable Handset on binnacle (2015)
Raymarine I70 programmable displays x 4 (2015)
Raymarine E70 Hybrid touch screen plotter (2105)
Raymarine HD radome (2015)
Raymarine Auto Pilot Head (2015)
Raymarine AIS 650 Class B transceiver (2015)
Navionics platinum charts x 2 - UK and Ireland, Western Europe (2015)
ICS Nav 6 Navtex
Raymarine hand bearing compass.

BATTERIES/ELECTRICS/SHORE POWER:
540Ah (180x3) HD "wet" domestic batteries, 90Ah "wet" start (2017)
x2 Exide Maxxima 900dc
spiral AGM (2014) for bowthruster.
Twin 60Ah Volvo alternators, X Alt alternator controller/splitter.
50Ah Mastervolt "Smart" battery charger.
Mastervolt Battery Monitor.
300w Sinergex Pure sw inverter.

GENERATOR:
Honda EU 10i generator

SAFETY EQUIPMENT:
Sea Safe 4man canister liferaft (2014) (serviced 03/2018) with hydrostatic release (2018)
McMurdo G4 GPS EPIRB (serviced 2014)
McMurdo Fastfind PLB in grab bag (2010)
Para anchor - size 18 complete, drogue - complete.
Plastimo automatic Danbuoy and MoB retrieval system (2016).
Fire extinguishers x4 -dry powder - manual & auto (serviced 2018).
Gas detector, Co2 detector.
Auto electric bilge pump, manual bilge pump

General note on safety equipment: Any safety equipment such as liferafts, fire extinguishers and flares etc. are usually personal to the current owner(s) and if being left on-board as part of the sale of a used vessel may require routine servicing, replacement, or changing to meet a new owners specific needs.

DINGHY AND OUTBOARD:
Zodiac Fastroller 340 Active V
Yamaha 8HP 2 stroke o/b
Nova Lift hoist.
240v & 12v inflation pumps.

OTHER EQUIPMENT:
H/Rassy Cockpit tent, sprayhood (2015)
Bimini by CJ, boom tent x 2
Caframo 12v fans (2 fixed, 1 mobile)
Oregon barometer - electronic
Defee mast ladder (bespoke)
Webasto Airtop heating.
Holding tank.
Webbing jackstays
De-humidifier
Vacuum cleaner

OWNERS COMMENTS: With her latest raymarine equipment and AIS, she is capable of sailing in the heaviest of seas with safety. Additionally her autohelm holds the steadiest of courses in any sea state and with her teak deck refurbishment in 2017 and the winter polish she exudes class and confidence.

MANUFACTURERS ORIGINAL BROCHURE SPECIFICATION (EXACT DETAILS MAY VARY):

Hull and deck:

Manufactured in a HR owned plant in Sweden and fully refurbished in 2017. Hull and deck from GRP by hand-layup method, insulated above water. Gelcoat colour code is 1000. Isophthalic gelcoat is used in the hull as well as isophthalic polyester. Decks and coachroof areas are of sandwich type construction. Bathing platform integrated in the stern. Hull and deck joined by overlapping GRP laminate. The boat has a bolt on lead keel of 3400 kg. 17 stainless steel bolts \varnothing 20 mm. Rudder shaft \varnothing 50 mm with roller bearings. All bulkheads laminated in on both sides. Freeboard has blue decorative stripe, superstructure has non slip pattern. Rubbing strake under blue stripe.

Deck and deck fittings:

Teak deck, bathing platform and cockpit seats in 12 mm teak laid in rubber. Toe rail, hand rails and all other woodwork on deck in solid teak. Stemhead fitting with incorporated anchor roller to suit a 45 lbs/21 kg CQR anchor. This would be self-stowing with the help of an anchor windlass. The chain locker is self-draining with room for 60 m of chain. Chainplates and stemhead fitting have cover plates directly welded on for water tightness. Strong cleats forward, aft and midships. 4 skylights and 9 port holes, four of which opening. 2 Dorade ventilators in saloon. One Electrolux ventilator forward and one in head. Deck screw caps for water and Diesel. On one side of cockpit special selfdraining stowage locker for two gas bottles, 6 kg each. Full width lazarette locker for fenders, lines and sails. In cockpit starboard side very generous stowage for bikes, shopping trolley, cockpit cushions and sails. Guard rails. Pulpit and pushpit, all stainless steel, allow easy boarding. International navigation lights. Flag staff and fittings. Bathing ladder for the platform. Genoa tracks with blocks from Lewmar. The genoa cars are adjustable from the cockpit. Mainsheet track behind cockpit to ensure good fit of sprayhood extension. Sheet winches Lewmar 48 CST self tailing with guide blocks from Lewmar. Spinnakerblock fittings. Mast cable conduit to interior of boat to feed all cables including thicker ones to a connection box below deck in the toilet compartment. At side of cockpit domed vents for engine room ventilation. Two scuppers on each side of deck to avoid streaking. Steering column in cockpit in GRP with engine lever easily accessible. Compass with light. Special stowage slot in locker for cockpit table and washboards. Hide covered steering wheel. The engine instrument panel with engine start is positioned as a part of the steering pedestal. Washboards in solid teak. On both sides of sliding hatch are useful teak covered chart tables with fiddle rails. Above sliding hatch is space for instruments and other built in units. The windscreen is in one section and is made of tempered glass. The middle section opens to allow good air circulation in warmer climates. Handholds in the side panels. The sprayhood can be folded forward and protected by a canvas cover. Teak grating in forward section of cockpit with two self draining 32 mm scuppers.

Rigging and Sails:

Mast, boom and running rigging from Seldén. Double spreaders, forward and aft lower shrouds 8 mm. Lower part of cap shroud 10 mm, upper part and intermediates 8 mm. Forestay and backstay 8 mm. Aluminium rig screw protection. Seldén Furler 300 S jib furling and reefing system. Spinnaker track and blocks for stowing pole on mast. Prepared for spinnaker halyard. Steaming light and deck flood. Pocket for winch handle. Two Lewmar 16 CST Self tailing halyard winches. Provision for pole lift. Required number of cleats. Mast is stepped on deck over reinforced bulkhead. Main boom with outhaul and two reef lines. Main sheet 6 to 1. Mainsail and furling jib from Elvström Sails in Denmark in special Offshore quality. Choice of material and workmanship to suit all conditions of cruising. Two reefs. Modern first class sails with battens and bags. Bottle screw protection of aluminium.

Accommodation:

The complete interior in mahogany silk finish. A solid mahogany mast support is fitted in connection to the main bulkhead. Berth and seats covered in superb Dralon material to withstand wear and tear and possible staining and dampness. Several colours available. Thickness of upholstery 12 cm, back rests 5 cm. Seats and mattresses zipped to enable cleaning of covers. Fill up cushion between fore cabin berths. Teak floor with inlaid holly stripe, matt finish, and carpeted. Carpet fitted with press-studs to prevent slipping. Inspection openings in the floor where needed. Ceilings forward and aft are lined, saloon ceiling has panelling with decorative stripes. Curtains on all portholes and for skylights. Headroom 1.91 meters in the saloon. Ample stowage in all areas of the boat. Also easily accessible stowage under the berth and settee especially for larger items like sail bags, etc. All larger cupboard doors are louvered and all boards under berth cushions have ventilation holes. Special care has been taken to avoid corners where dust collection or dampness can occur. Scuppers are made wherever water could collect. Mahogany cladding with cavity space behind backrests of settee and berth for good ventilation. The hull is insulated against heat and cold. Spacious toilet compartment lined with white plastic laminate. Shower stall with gratings and draining electric pump directly over board without going into the bilge. Filter and pump easily accessible. China wash basin, toilet, large mirror, various cupboards, shower curtain. Headroom 1.87 meters in the toilet room. Skylight, opening window and Electrolux ventilator in the toilet compartment. One wardrobe in passage opposite toilet compartment, one in aft cabin and a third one in walk-through to aft cabin accessible from saloon for oil skins. Seagoing galley with work surfaces on both sides of stove and sink Icebox 110 litres, well insulated with access from top to avoid contents and cold escaping when opened. Cupboards for glasses, china and other utensils. Waste basket under sink. Drawers on left-hand side of cooker Deep sink with pressure water, also reserve tap, which is foot pedal operated. 2-Burner gas stove with oven in stainless steel with fiddles and gimbaled with lock for marina use. Worktops white plastic laminate with fiddle rail. Cover over the cooker. Due to the well-planned layout there is always unobstructed passage from forward to aft cabin. Aft cabin and also the toilet compartment are secluded even if doors remain open. Being closely located together the navigation area, engine room and instrument panels form a natural unit. Ships tools are normally kept in this area which helps when maintenance in engine room is required.

Engine, heater, fuel and water:

Volvo Penta D2-55, 4-Cylinder Diesel engine, 2.2 litres displacement, output 41 kW / 55 HP, on flexible rubber mountings with water-cooled rubber exhaust pipe and silencer. The engine is freshwater cooled. Fixed 3-bladed propeller. Engine hour meter in the cockpit. Two stainless steel fuel tanks, total capacity 335 litres. For guidance the approx. fuel consumption when cruising is 4 litres/hour (approx. 520 nautical miles). Two stainless steel water tanks, totally 310 litres.

Water pressure system gives free flow of water to heads and galley. Hot water tank (insulated) with 230 V boiler keeps water warm for at least 24 hours. Heating Webasto Airtop 3500 Diesel with silencers in engine room, thermostatically controlled. Air outlets in forward cabin, toilet compartment, saloon and aft cabin. These can be controlled separately in forward cabin and aft cabin. Ball valves and double clips up to the waterline. All filters in engine room directly accessible. The service side of engine also accessible from walkthrough. The engine room is soundproofed. The bilges are in the area of the companionway steps, of adequate size for the boat. Bilge pump in engine room at low-suction height but suitably mounted for easy maintenance.

Electricity:

One battery, 12 V 62 Ah, for engine circuit. Two further 12 V batteries, totalling 280 Ah for the general purpose electrical system. Batteries are located under the berth in the aft cabin in dry, cool and well ventilated conditions. Charging of batteries is via a 60 A alternator and a blocking diode. Located behind the chart table in the walkthrough is the instrument panel with circuit breakers, divided into 24 circuits (space for 5 extra). There are fuses without switches for such instruments that should not be switched off. There are meters for Diesel and water tanks. Lighting throughout the boat is located in all the important positions. 12 V sockets at the cart table and in the cockpit. All switches for navigation lights, deck light, instrument, etc. are accommodated on the instrument panel for extra safety. There is space for installation of a battery charger with control panel.

Steering:

Wheel steering. Cable system with roller bearing turning blocks. The steel cables run over extra large guide rollers and run through pipes to protect from dirt and damage. On the ruddershaft quadrant there is provision for installation of an autopilot. Steering wheel in stainless steel and hide covered. 2.5 rotations from lock to lock.

Hull finish:

The underwater hull is treated with two coats epoxy primer and two coats of antifouling. The blue decorative stripe is gelcoat.

Certification

The boat was built under supervision by Germanischer Lloyd and is certified by Germanischer Lloyd and delivered with a CE certificate and a CE plaque for category A (unlimited ocean voyages).

Lying - Hamble River

Available to view strictly by appointment

Office Hours Mon- Fri 09.30 - 17.30


Saturday by prior booked appointment

For more information or to arrange a viewing please contact John Rodriguez Yachts


Tel: +44 (0)7505 485 950


Email: john@jryachts.com


Please note all our yachts are privately owned and actively for sale. Due to the varying geographic locations of our yachts and travel time and distances involved, please only make travel arrangements to view if you are actively considering purchase.














John Rodriguez Yachts provides professional ABYA yacht conveyancing & legal transfer of vessel title. The details of all vessels are offered in good faith but the correctness and accuracy of these particulars is not guaranteed and they do not constitute a part of any contract. We cannot guarantee nor warrant any vendor/third party supplied paperwork or the condition of the vessel. A buyer is strongly advised to instruct his agents, or marine surveyors, to investigate such details as the buyer desires validated. Although not mandatory in the UK we would always suggest appropriate training be undertaken before using a vessel. All vessels are offered subject to prior sale, price change, or withdrawal without notice. John Rodriguez Yachts is a trading name of John Rodriguez Yachts LLP Reg. No. OC416718 (England and Wales). Registered office C/O Connect Accounting, 15 Western Parade, Barnet, Herts, England, EN5 1AH. VAT No: 180730322. FCA FRN Number: 676493.